

# **Structured Data for Multimedia**

## **Project Overview**

Prepared by the Multimedia and Wikidata teams, with members of the Wikimedia Community

Updated 11/06/2014

CC-BY-SA-3.0



Current problems with metadata for multimedia:

- It's hard to **search for images**.
- Many file labels are **only in English**.
- Some metadata is **duplicated or missing**.
- It's hard to develop tools with unstructured data.





We aim to use structured data for all media files, to:

- make it easier for **users** to **read & edit file info**
- enable developers to build better multimedia tools

We are starting a **collaborative investigation**, as a community.

This **major infrastructure project** could take several years.

#### **Users**

This project impacts **a range of users**:

- readers
- contributors
- editors/curators
- developers
- 3rd-party site users
- cultural institutions

Notes:

- initial focus on **Commons**, then **Wikipedia** and other sites.
- initial focus on **advanced users** and **developers**.

### Many different uses

Upload
Edit/Curate
Search

**View** 



Ż

#### **User stories**


Here are some user needs that structured data could improve:

- Search media files more effectively.
- View information **in my language**.
- Learn more with related information.
- Edit file information more easily.
- Contribute data from other pages.
- Get smart suggestions during upload



#### File:Vincent Willem van Gogh 127.jpg







#### Vincent van Gogh

Dutch painter, draughtsman and printmaker

...

Also known as Vincent Willem van Gogh Live period 1853 - 1890 Work locations Netherlands and 2 more

More details from Wikidata

#### Learn more with related information


When selecting a structured data item on a file page, related content from Wikidata appears in an info card.

#### (first concept mockup)

Vase with Fifteen Sunflowers by Vincent Van Gogh, from National Gallery, public domain. Vincent van Gogh - Self-Portrait by Vincent Van Gogh, from Google Art Project, public domain. Both files via Wikimedia Commons.



#### File:Vincent Willem van Gogh 127.jpg



Medium Oil on canvas

Edit file information more easily

 $\sim$ 


I can easily edit any structured data item on a file page, by opening a simple editing tool.

Edit all details

<u>Vase with Fifteen Sunflowers</u> by Vincent Van Gogh, from <u>National</u> <u>Gallery</u>, public domain.

(first concept mockup)







Details	Data			
Artist Vince	nt Van Gogh	,		
	hanges, you agree to our Te der the CC BY-SA 3.0 Lice	erms of Use and agree to irrevocably release nse and GFDL	Cancel	Change author

Title Vase with Fifteen Sunflowers

Date 18888

Medium Oil on canvas

Edit file information more easily

 $\sim$ 

I can easily edit any structured data item on a file page, by opening a simple editing tool.

(first concept mockup)

<u>Vase with Fifteen Sunflowers</u> by Vincent Van Gogh, from <u>National</u> <u>Gallery</u>, public domain.

#### **Contribute data from other pages**

round black spots measuring from 2 to 3 cm (0.79 to 1.18 in) across, affording it some camouflage while hunting. There are no spots on its white underside, but the tail has spots, which merge to form four to six dark rings at the end. The tail usually ends in a bushy white tuft. The cheetah has a small head with high-set eyes. Black "tear marks" running from the corner of its eyes down the sides of the nose to its mouth keep sunlight out of its eyes and aid in hunting and seeing long distances. Its thin and fragile body make it well-suited to short bursts of high speed, but not to long-distance running.

Agility, rather than raw speed, accounts for much of the cheetah's ability to catch prey. Cheetahs can accelerate four times as fast as a human (thanks to greater muscle power) and can slow down by 14 kilometers per hour in one stride. They can hunt successfully in dense foreete [16]


The adult cheetah weighs from 21 to 72 kg (46 to 159 lb). Its total head-an measure 60 to 84 cm (24 to 33 in) in length.<sup>[17][18][19][20]</sup> Cheetahs are 66 larger than females and have slightly bigger heads, but there is not a great apart by appearance alone. Compared to a similarly sized leopard, the che averages about 90 cm (35 in) tall) and so it appears more streamlined.

Some cheetahs have a rare fur pattern mutation of larger, blotchy, merged constitute a separate subspecies but are in fact African cheetahs; their unu "king cheetah" has only been seen in the wild a handful of times, but it has



Comparative illustration of a leopard (left) and cheetah (right)

The cheetah's paws have semi-retr the flat-headed cat and the Iriomote structure of the cheetah's claws is the and fur present in other varieties, a always visible. The dewclaw is mucl Adaptations that enable the cheetal




 $\bigcirc$ 

increased oxygen intake, and an enlarged heart and lungs that work together to circulate oxygen efficiently. During a typical chase, its respiratory rate increases from 60 to 150 breaths per minute.<sup>[11]</sup> While running, in addition to having good traction due to its semi-retractable claws, the cheetah uses its tail as a rudder-like means of steering[citation needed] to allow it to make sharp turns,


Cheetah photo by Fir0002 / flagstaffphotos.com.au, licensed under GFDL 1.2 / CC-BY-NC-3.0 via Wikimedia Commons.

#### **Get smart suggestions**





	Robert Capa							
	Source From Flickr +							
	Original URL	http://flickr.com/photos/1234						
0	License	Creative Commons Attribution ShareAlike 3.0 checking)						
Ad	d a descripti	n						
4	Add categor	ies						




Cheetah photo by Fir0002 / flagstaffphotos.com.au, licensed under GFDL 1.2 / CC-BY-NC-3.0 via Wikimedia Commons.

# Product

How can we support these uses?


# **Touchpoints**

Where will people find structured data?



## **Data on file pages**

#### **First concept**



#### File page

#### **Data section**

<u>Starry Night</u> by <u>Vincent Van Gogh</u>, from Google Art Project. Public domain. Via Wikimedia Commons.

# File page vs. Data section

Who are they for? When should you use them?

### File page sections

For:

• all users

Used to:

- view all metadata
- edit non-structured data
- access data section

#### **Data section**

For:

advanced users

Used to:

- view structured data
- edit structured data
- migrate structured data

Unstructured file information would be gradually migrated into structured format in the data section.

#### **Data section**

Hamster Berta (Q6573)	[edit]
My hamster Berta in 2007.	[edit]

#### Statements

contributor	http://commons.wikimed	dia.org/wiki/User:Hugo85	[edit]
	role	photographer	
			[add]
time of creation	March 2007		[edit]
			[add]
topic	hamster		[edit]
	photograph		
			[add]

license	CC-BY-SA-3.0-DE	[edit]
		[add reference]

This is a rough example of what a data section *might* look like, with the current Wikidata user interface.

### **Data view**

#### First concept

	Title	English 👽 Lake Laanemaa	内 2	Title in oth	er languages	
	Description	Lake Laanemaa at Orkjärve Nature Reserve, Esto- nia. Sunrise. Intense colors were present for just couple of minutes.	<b>木</b> 2	<sup>Eesti</sup> Laanemaa	a järv	/ 1
	About	lake		木 Add in a	another language	e
	Type of work	Photograph More about the same	work?			
	Author	Heino Ruiso?				
	Rights	Creative Commons Attribution-ShareAlike 3.0 (unpolicense own work verified	orted)			
Ö	Campaign	Eesti Looduse fotovõistlus 2013				
	Quality asses- ment	Featured picture on Commons and Persian Wikiped	lia			
	+ Add more information					example of view <i>might</i> h a new

user interface.

### **Data editor**

#### **First concept**

Description in English 🗸	Description in two languages		
Painting about a big lake.	English Painting about a big 🥒 👕		
*A 2     +       Cancel     Create description	★A  Language French German Spanish		
Description in English 👻	Description in two languages		
Painting about a big lake.	English Painting about a big 🥒 👕		
*A 2 +	<sup>Spanish</sup> Pintura sobre un gran ∥ 👕		
Cancel Create description	Add another language		

This is a first example of how a structured data editor *might* help edit descriptions in different languages.

### **Data editor**

**First concept** 

Rights	+ Add rights information	]						
	↓							
Rights for	the whole work X		Rights for	Indicate the part of the	work	Rights for	Painting 🗙	
License	CC-BY-SA +		License	The whole work	+	License	CC-BY-SA	+
Contributor	Cronopio		Contributor	Painting		 Contributor	Cronopio	
Justification	own work 🗸		Justification	Scan		Justification	own work 🖌	
	Cancel Create rights info			Cancel Create righ	ots info	+ Add rigths	s for another part of th	ne work
				orouto figr			Cancel Create	e rights info

This is a first example of how a structured data editor *might* help edit rights or licenses for different works.

# Key data


In a **first phase**, we would focus on these key data for each file:

- title
- description
- work
- contributor
- role
- right/license
- restriction
- category
- topics

See Data Model in progress

# **Key concepts**

Here's one way to visualize some of the structured data clusters, at a high level:




## Storage

Where might data be stored?

Wikibase on Commons	Wikidata.org	Commons MediaWiki
title	contributor *	file name
description	rights/license	format
contributor link	work *	resolution
rights/license link	topic *	size
work link	category item *	date
topic link	media properties	geo-tags
file link		category
	* = optional	EXIF metadata

# **API Class Diagram**



- **Work** component with separate authorship (e.g. statue on a photograph)
- **Restriction** usage limitations (trademarks, personality rights etc.)
- **Source** origin of a work (museum or WLM campaign)
- **Event** point in time relevant for copyright assessment (publication date, author death)
- **Contribution** an item from the author list
- UseRationale/Rights/License CC-BY, PD, etc.
- **Requirement** copyright limitations on the reuser (e.g. share-alike)
- Permission OTRS ID, etc.
- **Topic/Category** properties describing what's visible in the image
- Assessment featured etc
- ImageAnnotation highlight areas of the image

#### See Data Model in progress

# **Categories and topics**

#### Churc|

#### Church

Religious building for Christian worship

#### Churchill

Prime Minister of the United Kingdom during World War II

Churches in Berlin

Churches located in Berlin

Files could be associated with a range of **topics** and **categories** (which can 'bundle' multiple topics).

Next steps

#### Goals

- discuss & define this project, as a community
- allocate resources to support development
- **design** the data structure & user interface
- develop & test prototypes
- **iterate** on key features and infrastructure
- migrate unstructured data collectively, over time

### Workflows

#### FIRST WORKFLOWS

- view structured data
- edit structured data
- **migrate** data in structured form

#### NEXT WORKFLOWS

- **search** by multiple criteria
- **upload** with structured data

### Components

Here are some of the first modules we might work on:

- high-level API
- data back-end storage
- data section on file page
- edit tool on file page
- **review** tools + processes
- basic search

## Questions

- Which **components** to build first?
- What **data model** should be used?
- How to **test** first models / functions?
- How to gradually **roll out** first functions?
- How to coordinate the **data migration**?
- How to **measure** and **validate** each function or data transfer?

### **Measures of success**

Here are some of the metrics we are **considering** to track success:

- **# files used** on WMF-hosted projects
- # uncategorized files on Commons
- **# search queries** for media files
- % successful searches for files
- # views per file
- # files with data

See more metrics under consideration.

### Measures of success (ctd.)

Here are more metrics we are **discussing** to track success for different use cases:

All	Upload	Edit	Search	View	Re-use	Progress
# files used	# uncategorized files	# editors per file	# file search queries	# views per file	# API use (volume)	# files with data properties
task performance:		# active file editors	# file search volume		# links to files	% new uploads with data
<ul><li> add/edit info</li><li> find files</li></ul>			% successful searches			% template calls without params.

We plan to host **community discussions** to evaluate and select key metrics for this project.

## **Roadmap 2014-15**

	Stage 1	Stage 2	Stage 3
product	<ul><li> planning</li><li> design</li></ul>	• experiment • specs	<ul> <li>learn / metrics</li> <li>update plans/specs</li> </ul>
developers	<ul> <li>code review</li> <li>code cleanup</li> </ul>	• prototypes • small features	<ul> <li>info / file pages</li> <li>editing tools</li> </ul>
community	<ul><li>discuss</li><li>guide</li></ul>	• discuss • test	• migrate data • edit data

We are now in stage 1. We will update this roadmap regularly, as a community.

## **The future**

How structured data can help our movement:

- improve **search** for media files
- show information in many languages
- find information on related topics
- make it easier to edit and re-use files
- drive curation and contributions
- offer a **better multimedia experience**

### Collaboration

This project is a **partnership** between:



This is a promising **collaboration model** for software development, with both challenges and opportunities -- and a chance to **learn together**.

### **Get involved**



Thanks to all our collaborators on this project!



#### Learn more:

#### commons.wikimedia.org/Commons:Structured\_data

A collaboration between:



Wikidata Team (Wikimedia Deutschland)

**Multimedia Team** (Wikimedia Foundation)

CC-BY-SA-3.0